

DOWNLIGHTS



Product Name	Description	Code
AT9012/AND/TRI	11W LED Downlight with Dimmable Driver - 90° beam - Anodised - TRI - SER II	11075
AT9012/BLK/TRI	11W LED Downlight with Dimmable Driver - 90° beam - Black - TRI - SER II	11060
AT9012/SC/TRI	11W LED Downlight with Dimmable Driver - 90° beam - Satin Chrome - TRI - SER II	11218
AT9012/SIL/TRI	11W LED Downlight with Dimmable Driver - 90° beam - Silver - TRI - SER II	11099
AT9012/WH/TRI	11W LED Downlight with Dimmable Driver - 90° beam - White - TRI - SER II	11148
AT9012/WH/FR/CW	12W LED Fire rated Downlight w/Dimmable Driver - 120° beam - Cool White -IP65	11426
AT9012/WH/FR/WW	12W LED Fire rated Downlight w/Dimmable Driver - 120° beam - Warm White -IP65	11434
AT9045/WH/TRI	12W LED Downlight with Dimmable Driver - Tri-CCT - White	12789
AT9046/WH/TRI	18W LED downlight with Dimmable Driver - Tri-CCT - White	12790
AT9047/WH/TRI	25W LED downlight with Dimmable driver - Tri-CCT - White	12791
AT9048/WH/TRI	35W LED downlight with Dimmable driver - Tri-CCT - White	12792
AT9087/12/WH/TRI	12W LED downlight with Dimmable driver - Tri-CCT - White - SER II	12323
AT9087/16/WH/TRI	16W LED downlight with Dimmable driver - Tri-CCT - White - SER II	12324
AT9087/24/WH/TRI	24W LED downlight with Dimmable driver - Tri-CCT - White - SER II	12325
AT9087/30/WH/TRI	30W LED downlight with Dimmable driver - Tri-CCT - White - SER II	12326

PANELS



Product Names	Description	Code
AT6021/306/CW	20W LED Backlit panel 300 x 600 - Cool white	13110
AT6021/306/DL	20W LED Backlit panel 300 x 60 - Daylight	13112
AT6021/312/CW	36W LED Backlit panel 300 X 1200 -Cool white	13332
AT6021/312/DL	36W LED Backlit panel 300 X 1200 - Daylight	13346
AT6021/606/CW	36W LED Backlit panel 600 X 600 - Cool white	13311
AT6021/606/DL	36W LED Backlit panel 600 X 600 - Daylight	13328
AT6021/612/CW	60W LED Backlit panel 600 x 1200 - Cool white	13355
AT6021/612/DL	60W LED Backlit panel 600 x 1200 - Daylight	13367
AT6021/306/CW	20W LED Backlit panel 300 x 600 - Cool white	12625
AT6021/306/DL	20W LED Backlit panel 300 x 60 - Daylight	12626
AT6021/312/CW	36W LED Backlit panel 300 X 1200 -Cool white	12627
AT6021/312/DL	36W LED Backlit panel 300 X 1200 - Daylight	12628
AT6021/606/CW	36W LED Backlit panel 600 X 600 - Cool white	12629
AT6021/606/DL	36W LED Backlit panel 600 X 600 - Daylight	12630
AT6021/612/CW	60W LED Backlit panel 600 x 1200 - Cool white	12631
AT6021/612/DL	60W LED Backlit panel 600 x 1200 - Daylight	12632
AT6023/306/TRI	12W LED Backlit panel 300 x 600 - Tri-CCT - SER III	12196
AT6023/312/TRI	36W LED Backlit panel 300 x 1200 - Tri-CCT - SER III	12197
AT6023/606/TRI	36W LED Backlit panel 600 x 600 - Tri-CCT - SER III	12198
AT6023/612/TRI	60W LED Backlit panel 600 x 1200 - Tri-CCT - SER III	12199

OYSTERS



Product Names	Description	Code
AT3013/SLIM/14/TRI	SLIM 14W 300mm Dia Oyster - Tri-CCT	18270
AT3013/SLIM/17/TRI	SLIM 17W 300mm Dia Oyster - Tri-CCT	18271
AT3013/SLIM/25/TRI	SLIM 25W 300mm Dia Oyster - Tri-CCT	18272
AT3013/SLIM/25/TRI/S	SLIM 25W 400mm Dia Oyster - Tri-CCT - with sensor	18138

FLOODLIGHTS



Product Names	Description	Code
AT9814/100 SER III	100W LED IP66 Floodlight Ser III - 5000K	18105
AT9814/150 SER III	150W LED IP66 Floodlight Ser III - 5000K	18106
AT9814/200 SER III	200W LED IP66 Floodlight Ser III- 5000K	18107

atomⁱ

IPART & REES APPROVED PRODUCTS 2025

DOWNLIGHTS



Product Name	Description	Code
AT9090/WH/TRI	8W low-profile LED tri-colour downlight with Dimmable driver - Tri-CCT - White	16598
AT9090/F/WH/TRI	8W flush lens low-profile LED downlight with Dimmable driver - Tri-CCT - White	16597

PANELS



Product Names	Description	Code
AT6024/312/TRI	29W Low Glare LED Panel - TRI-CCT	10166

HIGHBAYS



PRODUCT NAMES	DESCRIPTION	CODE
EV-HOVER-CORE-120W-50K	Hover Core 120W Highbay - 170lm/W - CRI80 - 120° - 5000K	12011
EV-HOVER-CORE-150W-50K	Hover Core 150W Highbay - 170lm/W - CRI80 - 120° - 5000K	12012
EV-HOVER-CORE-200W-50K	Hover Core 200W Highbay - 170lm/W - CRI80 - 120° - 5000K	12013
EV-HOVER-SWITCH-ADV-120W-50K	Hover Switch Adv 120W Power Switch Highbay - 200lm/W - CRI70 - 5000K	12014
EV-HOVER-SWITCH-ADV-200W-50K	Hover Switch Adv 200W Power Switch Highbay - 200lm/W - CRI70 - 5000K	12015
EV-HOVER-PRO-200W-50K	Hover Professional 200W Highbay - 190lm/W - CRI80 - 120° - 5000K	12016

BATTENS



PRODUCT NAMES	DESCRIPTION	CODE
EV-UMBRA-ADV-IP65-600-TRI	UMBRA Advanced 600mm LED wide body batten - Tri-CCT	11204
EV-UMBRA-ADV-IP65-600-EM-TRI	UMBRA ADVANCED 600mm LED Emergency batten - Tri-CCT	11208
EV-UMBRA-ADV-IP65-1200-TRI	UMBRA Advanced 1200mm LED wide body batten - Tri-CCT	11219
EV-UMBRA-ADV-IP65-1200-EM-TRI	UMBRA ADVANCED 1200mm LED Emergency batten - Tri-CCT	12222
EV-UMBRA-ADV-IP65-600-EM-TRI	UMBRA ADVANCED 600mm LED Emergency batten - Tri-CCT Ver 2	12035
EV-UMBRA-ADV-IP65-600-S-TRI	UMBRA ADVANCED 600mm LED batten - Tri-CCT w sensor	12030
EV-UMBRA-ADV-IP65-600-EM-S-TRI	UMBRA ADVANCED 600mm LED Emergency batten - Tri-CCT w sensor	12031
EV-UMBRA-ADV-IP65-1200-EM-TRI	UMBRA ADVANCED 1200mm LED Emergency batten - Tri-CCT Ver 2	12037
EV-UMBRA-ADV-IP65-1200-S-TRI	UMBRA ADVANCED 1200mm LED batten - Tri-CCT w sensor	12032
EV-UMBRA-ADV-IP65-1200-EM-S-TRI	UMBRA ADVANCED 1200mm LED Emergency batten - Tri-CCT w sensor	12033
EV-UMBRA-ADV-IP65-600-TRI	UMBRA ADVANCED 600mm Diffused LED batten - Tri-CCT	12180
EV-UMBRA-ADV-DIFF-600-EM-TRI	UMBRA ADVANCED 600mm Diffused LED Emergency batten - Tri-CCT	12181
EV-UMBRA-ADV-DIFF-600-S-TRI	UMBRA ADVANCED 600mm Diffused LED batten - Tri-CCT w sensor	12182
EV-UMBRA-ADV-DIFF-600-EM-S-TRI	UMBRA ADVANCED 600mm Diffused LED Emergency batten - Tri-CCT w sensor	12183
EV-UMBRA-ADV-DIFF-1200-TRI	UMBRA ADVANCED 1200mm Diffused LED batten - Tri-CCT	12184
EV-UMBRA-ADV-DIFF-1200-EM-TRI	UMBRA ADVANCED 1200mm Diffused LED Emergency batten - Tri-CCT	12186
EV-UMBRA-ADV-DIFF-1200-S-TRI	UMBRA ADVANCED 1200mm Diffused LED batten - Tri-CCT w sensor	12188
EV-UMBRA-ADV-DIFF-1200-EM-S-TRI	UMBRA ADVANCED 1200mm Diffused LED Emergency batten - Tri-CCT w sensor	12189
EV-UMBRA-ADV-WG-1200-TRI	UMBRA ADVANCED 1200mm Wireguard LED batten - Tri-CCT	12185
EV-UMBRA-ADV-WG-1200-EM-TRI	UMBRA ADVANCED 1200mm Wireguard LED Emergency batten - Tri-CCT	12187
EV-UMBRA-CORE-IP65-600-TRI	UMBRA CORE 600mm LED Batten - Tri-CCT	12137
EV-UMBRA-CORE-IP65-1200-TRI	UMBRA CORE 1200mm LED Batten - Tri-CCT	12138
EV-UMBRA-CORE-IP65-1200-TRIF&P	UMBRA CORE 36W 1200mm LED Batten - Tri-CCT - F&P	12131
EV-UMBRA-CORE-IP65-1500-TRI	UMBRA CORE 50W 1500mm LED Batten - Tri-CCT	14501
EV-UMBRA-CORE-IP65-1200-EM-TRI	UMBRA CORE 1200mm LED Emergency Batten - Tri-CCT	12139
EV-UMBRA-CORE-IP65-1200-EM-TRIF&P	UMBRA CORE 36W 1200mm LED Emergency Batten - Tri-CCT - F&P	12132
EV-UMBRA-CORE-IP65-1500-EM-TRI	UMBRA CORE 50W 1500mm LED Emergency Batten - Tri-CCT	14502

BATTENS

PRODUCT NAMES	DESCRIPTION	CODE
EV-UMBRA-CORE-II-DIFF-600	Umbra Core 600mm Diffused LED Batten - Tri-CCT	11860
EV-UMBRA-CORE-II-DIFF-1200	Umbra Core 1200mm Diffused LED Batten - Tri-CCT	11861
EV-UMBRA-CORE-II-DIFF-1500	Umbra Core 1500mm Diffused LED Batten - Tri-CCT	11862
EV-UMBRA-CORE-II-DIFF-600-EM	Umbra Core 600mm Diffused LED Emergency Batten - Tri-CCT	11863
EV-UMBRA-CORE-II-DIFF-1200-EM	Umbra Core 1200mm Diffused LED Emergency Batten - Tri-CCT	11864
EV-UMBRA-CORE-II-DIFF-1500-EM	Umbra Core 1500mm Diffused LED Emergency Batten - Tri-CCT	11865



PANELS

PRODUCT NAMES	DESCRIPTION
CAP2-NSAVAAA2008040AH	Capri 14W Troffer range / 595mm x 295mm / 4000k / 80cri / 2062lm
CAP2-NSAVBAA2008040AH	Capri 14W Troffer range / 595mm x 295mm / 4000k / 80cri / 2062lm
CAP2-NSAVAAA4008040BA	Capri 26W Troffer range / 1195mm x 295mm / 4000k / 80cri / 3952lm
CAP2-NSAVBAA4008040BA	Capri 26W Troffer range / 1195mm x 295mm / 4000k / 80cri / 3952lm
CAP2-NSAVAAA4008040AK	Capri 26W Troffer range / 595mm x 595mm / 4000k / 80cri / 3727lm
CAP2-NSAVBAA4008040AK	Capri 26W Troffer range / 595mm x 595mm / 4000k / 80cri / 3727lm
CAP2-NSAVAAA6608040BC	Capri 46W Troffer range / 1195mm x 595mm / 4000k / 80cri / 6141lm
CAP2-NSAVBAA6608040BC	Capri 46W Troffer range / 1195mm x 595mm / 4000k / 80cri / 6141lm



TROFFERS

PRODUCT CODE	DESCRIPTION
FAL2-NSAHBAA1638040CC	Falcon 2 14W Troffer / 293mm x 590mm - Two Way Grid / 4000k / 80cri / 1630lm
FAL2-NSAHBAA2888040CC	Falcon 2 25.8W Troffer / 293mm x 590mm - Two Way Grid / 4000k / 80cri / 2880lm
FAL2-NSAHBAA1668040CE	Falcon 2 13.7W Troffer / 293mm x 1190mm - Two Way Grid / 4000k / 80cri / 1660lm
FAL2-NSAHBAA2588040CE	Falcon 2 20.8W Troffer / 293mm x 1190mm - Two Way Grid / 4000k / 80cri / 2580lm
FAL2-NSAHBAA3038040CE	Falcon 2 24.7W Troffer / 293mm x 1190mm - Two Way Grid / 4000k / 80cri / 3030lm
FAL2-NSAHBAA4338040CE	Falcon 2 36.5W Troffer / 293mm x 1190mm - Two Way Grid / 4000k / 80cri / 4330lm
FAL2-NSAHBAA4558040CE	Falcon 2 38.9W Troffer / 293mm x 1190mm - Two Way Grid / 4000k / 80cri / 4550lm
FAL2-NSAHBAA5768040CE	Falcon 2 50.1W Troffer / 293mm x 1190mm - Two Way Grid / 4000k / 80cri / 5760lm
FAL2-NSAHBAA3068040CG	Falcon 2 24.5W Troffer / 293mm x 1490mm - Two Way Grid / 4000k / 80cri / 3060lm
FAL2-NSAHBAA4628040CG	Falcon 2 38.4W Troffer / 293mm x 1490mm - Two Way Grid / 4000k / 80cri / 4620lm
FAL2-NSAHBAA5908040CG	Falcon 2 49.3W Troffer / 293mm x 1490mm - Two Way Grid / 4000k / 80cri / 5900lm

